

/ :
 :
 /
 : /2017

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
.22.23	01	(- 1312 /2010)			
.8843	02	,			
\8972.1.4	03	μ μ 2 36W, μ , μ , μ .			
.8977	04	1 18W μ μ , μ			
.8141.1	05	2 WC			
8141.2.2	06	μ (μ) μ - , μ , 1/2 ins μ μ μ			
8151.2	07	μ μ μ			
.8151.90	08	μ / μ μ , (μ μ)			
8160.2	09	42 56 cm			
\8160.90	10				
50.10 1	11	μ μ (GK) 12,5 mm, , μ	03-07-10-01		
71.21	12	μ - μ μ μ	03-03-01-00		
73.26.03	13	μ , μ , 15x15 cm,	03-07-02-00		
73.33.01	14	μ μ , GROUP 4, 20x20 cm	03-07-02-00		
73.96	15	μ (PVC)	03-07-06-02		
77.02.02	16	μ μ 5 - 15% μ	03-10-02-00		
77.80.01	17	μ μ , μ μ μ μ , - μ	03-10-02-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
54.68	18	μ ,	03-08-01-00		
.55.01.01	19	μ			
61.05	20	160 mm			
61.20	21	160 mm			
64.01.01	22	μ μ μ ,			
65.01.02	23	μ μ μ μ μ 12 - 24 kg/m2	03-08-03-00 *	μ μ	03-08-03-00
65.17.01	24	μ μ μ μ , μ , μ	03-08-03-00 *	μ μ	03-08-03-00
76.22.03	25	(LAMINATED), 12 mm (4 mm + μ μ + 4 mm + μ μ + 4 mm)	03-08-07-02		
76.35.02	26	Securit, μ 10,0 mm	03-08-09-00		

-7-2017

-7-2017

-7-2017

O

O

μ μ

μ μ

μ μ