

: μ

& . : ____/2017
&

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
10.03	001	μ			
10.04	002	μ μ			
20.02	003	μ - μ	02-03-00-00		
20.04.01	004	E μ μ - μ	02-04-00-00		
\20.50.01	005	(EKK) ,			
\20.50.02	006	(EKK) , μμ			
\20.50.03	007	μ (EKK) (-)			
\20.50.04	008	μ (EKK) ()			
\20.50.05	009	μ (EKK) ,			
\20.50.06	010	μ (EKK) , μ			
\20.50.07	011	(EKK) ,			
\20.50.08	012	(EKK) ,			
\20.50.09	013	(EKK) ,			
20.10	014	μ , μ	02-07-02-00		
20.20	015	μ μ			
22.20.01	016				

	μ.		1501- +	(17/07-09-2016)	
μ					
22.15.01	017	μ μ μ μ μ ,	15-02-01-01		
20.30	018	μ μ μ			
20.40	019				
20.41	020	μ			
20.31.02	021	μ μ ,			
22.10.01	022	μ μ , μ	15-02-01-01		
22.10.02	023	μ μ μ μ , μ	15-02-01-01		
22.15.02	024	μ μ μ μ μ ,	15-02-01-01		
22.20.02	025	μ 50%			
\20.42.01	026	μ μ			
22.03	027	μ			
38.02	028	μ	01-04-00-00		
29.3.4	029	(μ C16/20 ,) μ	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
38.20.03	030	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
78.95	031	μ μ			
\ 32.02.07	032	C20/25 μ 12cm μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
\74.35.01	033	/ μ μ μ μ			
\73.17.05	034	20 10cm μ 10x10cm, 6cm.			
78.96	035	μ			
\78.96.1	036	μ			
\78.96.02	037	10x10x10 20x10x10 μ			
\78.96.03	038	cotto 7 30 5 cm μ μ			
\78.96.04	039	clinker 10 20 4,5 cm μ μ			
\78.96	040	μ μ μ μ			
\73.11.1	041	μ	03-07-03-00 *	μ	03-07-03-00
01.1	042	μ	05-03-03-00 *	μ	05-03-03-00
01.2	043	μ μ 0,10 m	05-03-03-00 *	μ	05-03-03-00
02.1	044	μ	05-03-03-00 *	μ	05-03-03-00
02.2	045	0,10 m (. . . -155)	05-03-03-00 *	μ	05-03-03-00
31.02.02	046	μ μ 250 kg μ m3	01-01-01-00 *	μ	01-01-01-00
32.05.03	047	μ μ C12/15 μ			
32.05.04	048	μ μ C16/20 μ			
71.21	049	μ - μ μ μ	03-03-01-00		
71.22	050	μ μ μ μ	03-03-01-00		
73.36.01	051	, 3,0 cm μ μ μ			
73.36.02	052	, 2,5 cm μ μ μ			
73.36.03	053	μ , 3,0 cm, μ μ μ			
73.47	054	μ ()			

	μ.		1501- +	(17/07-09-2016)	
μ					
\67.45	055				
11.02.04	056		08-07-01-04		
11.01.02	057	K μμ (ductile iron)			
12.10.01	058	μ PVC-U μ PVC-U, SDR 41, DN 110 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.02	059	μ PVC-U μ PVC-U, SDR 41, DN 125 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.04	060	μ PVC-U μ PVC-U, SDR 41, DN 200 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.05	061	μ PVC-U μ PVC-U, SDR 41, DN 250 mm	08-06-02-02 *	-PVC	08-06-02-02
\10.01.8	062	μ μ			
\64.02.02	063	μ μ			
	064		03-08-01-00		
μ					
32.02.05		μ , μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.25.04		μ μ μ , 30,00m3 μ C20/25			
79.22		μ μ μ , EN 934-2			
79.24		μ , EN 14889-2			
01		μ μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
9.23.02		μ μ . μ μ μ μ , EN 934-2			

3/8/2017

3/8/2017

___/8/2017

μ μ μ μ. & μ &