

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
10.01.01	001	, μ			
10.01.02	002	μ μ , μ			
10.03	003	μ			
10.04	004	μ μ			
10.07.01	005	μ μ			
20.04.01	006	E μ - μ μ	02-04-00-00		
20.05.01	007	E μ - μ μ μ μ	02-04-00-00		
20.06.03	008	μ μ μ μ 2,00 m			
20.08.01	009	- μ	02-04-00-00		
20.10	010	μ , μ	02-07-02-00		
20.20	011	μ μ			
20.21	012	μ	02-07-02-00		
20.30	013	μ μ μ			
20.31.02	014	μ μ , μ			
\20.50.08	015	(EKK)			
22.04	016	μ	14-02-02-01		
22.10.01	017	μ μ , μ	15-02-01-01		
22.15.01	018	μ μ μ μ μ ,	15-02-01-01		
22.20.01	019				

	μ.		1501- +	(17/07-09-2016)	
μ					
22.20.02	020	μ 50%			
22.22.02	021	μ μ 50%			
22.23	022	μ	14-02-01-01		
22.30.03	023	, , μ 0,12 m2 0,25 m2 μ ,			
22.30.04	024	, , μ 0,25 m2 0,50 m2 μ ,			
22.31.02	025	0,10 m 0,20 m μ ,			
22.37.02	026	μ 0,10 m 0,20 m μ ,			
22.45	027	μ			
22.50	028				
22.51	029	μ			
22.52	030	μ			
22.53	031				
22.54	032	μ	14-02-01-01		
22.56	033	μ	15-02-02-02		
22.60	034				
22.61	035	μ			
22.65.02	036	μ μ μ			
22.70.01	037	μ μ μ μ			
22.70.02	038	μ μ μ μ			
\22.60.1	039	μ μ			
23.03	040	μ	01-03-00-00 *	μ	01-03-00-00
23.10.02	041	μ (), μ 200 kg			
23.14	042	μ			
22.65.01	043	, , μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
5.07	044	μ μ μ μ	08-01-03-02 *	μ	08-01-03-02
32.01.04	001	μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.05	002	μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.05.03	003	μ μ C12/15			
32.05.04	004	μ μ C16/20			
32.25.03	005	μ μ μ μ 30,00m3 C16/20			
38.02	006	μ	01-04-00-00		
38.20.03	007	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
10.01.02	008	μ μ μ μ	08-05-02-01		
10.18	009	μ μ			
10.19	010	μ μ μ μ			
10.23	011	μ (0,3 - 3,00 mm) μ μ	14-01-07-01		

	μ.		1501- +	(17/07-09-2016)	
μ					
46.01.03	001	6x9x19 cm, μ μ 1 (μ) (μ)	03-02-02-00 *	μ	03-02-02-00
46.01.02	002	6x9x19 cm, μ μ 1/2 (μ μ)	03-02-02-00 *	μ	03-02-02-00
49.01.01	003	μ () μ μ			
49.01.02	004	μ () μ μ			
49.05	005	μ μ μ			
50.10	006	μ μ μ μ μ			
50.15.02	007	μ μ , μ μ			
\79.11.1	008	μ μ			
71.21	009	μ - μ μ μ	03-03-01-00		
78.05.01	010	, , 12,5 mm			
78.05.03	011	, , 18 mm			
78.05.04	012	, , 12,5 mm			
78.05.05	013	, , 12,5 mm			
78.10.02	014	μ , 12,5 mm			
78.30.01	015	μ , μ , 15 20 mm, 600x600 mm 625x625 mm	03-07-10-01		
78.30.03	016	μ , μ , 12 13 mm, μ μ μ 600x600 mm	03-07-10-01		
78.34	017		03-07-10-01		
\8042.1.3	001	μ 100. P.V.C. 6atm			
\8042.1.4	002	μ 125 P.V.C. 6atm			
.8051.1.1	003				
.8051.1.2	004	μ μ μ μ			
.8051.1.4	005	μ μ μ μ			
.8062.01	006	μ μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
.8062.02	007	μ μ			
\8063.1	008	() P.V.C μ μ			
\8065.2.1	009	3" 5			
\8104.1	010	() μ. 1/2ins			
\8104.2	011	() μ. 3/4ins			
\8104.3	012	() μ. 1ins			
\8104.4	013	() μ. 1 1/4 ins			
\8104.5	014	() μ. 1 1/2 ins			
\8104.7	015	() μ. 2 ins			
\8104.8	016	() μ. 2 1/2 ins			
\8104.9	017	() μ. 3 ins			
\8104.10	018	() μ. 4 ins			
8141.2.2	019	μ (μ) μ - μ 1/2 ins μ μ μ			
8141.3.2	020	μ (μ) μ - μ μ μ μ 1/2 ins			
8151.2	021	μ μ μ			
.8153.2	022	Kariba			
8157.1	023				
\8158	024	μ			
8160.2	025	42 56 cm			
8160.5	026				
\8160.6	027				
8166.1	028	μ			
8181.2	029	35 cm			
\8204.99.1	030	(sprinkler) μ. 1/2 ins			
\8432.1.2	031	μ μ PANEL 22/600/600			
\8432.1.3	032	μ μ PANEL 22/600/800			
\8432.2.2	033	μ μ PANEL 22/900/600			
\8432.2.3	034	μ μ PANEL 22/900/800			

	μ.		1501- +	(17/07-09-2016)	
μ					
\8432.6.1	035	(FCU) μ μ 300 CFM,			
\8432.6.2	036	(FCU) μ μ 400 CFM,			
\8432.6.3	037	(FCU) μ μ 600 CFM,			
\8432.6.4	038	(FCU) μ μ 800 CFM,			
\8445.3	039	μ μ			
8732.2.2	040	μμ 13,5mm			
8732.2.4	041	μμ 23mm			
\8732.1	042	2,5 2,5cm μμ .			
\8732.2	043	4,0 4,0cm μμ .			
\8732.3	044	6 10cm μμ .			
8735.2.1	045	70mm			
8751.1.2	046	μ 1,5 mm2			
8751.1.3	047	μ 2,5mm2			
\8766.2.1	048	2 1,5 mm2			
\8766.3.4	049	3 6 mm2			
\8766.3.5	050	3 10 mm2			
\8766.5.2	051	5 2,5 mm2			
\8766.5.4	052	5 6 mm2			
\8774.5.6	053	Y 4 16 mm2			
\8797.1.1	054	A-2Y(st)2Y			
\8797.1.1.1	055	UTP CAT 5E			
.8797.1.2	056	μ μ			
8801.1.1	057	10 μ 10 250 V			
8801.1.4	058	10 μ 10 250 V			
\8801.1.1	059	μ 250 V			
\8806.1.1	060	10 , 250 V			
8826.3.2	061	μ SCHUKO 16			

	μ.		1501- +	(17/07-09-2016)	
μ					
\8828.1	062	μ			
\8843.1.1	063	18- 36			
\8843.1.1.3	064	54-72			
\8843.2.1.1	065	24 44			
\8843.2.1.2	066	μ 24			
\8916.4.1	067	μ ()			
\8919.1	068	24- μ			
\8971.1.3	069	μ μ μ 1 36W, μ . ,			
\8971.1.4	070	μ μ μ 2 36W, μ . ,			
\8972.1.4	071	μ μ μ 2 36W, μ μ . ,			
\8977.2.2	072	μ μ , , 4 18W			
\8977.2.3	073	μ μ , , 4 18W			
\8977.2.4	074	μ μ μ , 54, 2 36W.			
\8978.2.1	075	μ μ 18-36W.			
\8979.2	076	μ μ μ			
\8979.3	077	μ μ μ			
\8980.41	078	9W			
\8981.1	079	Ballast Osram Quicktronic Professional			
\8983.10.1.1	080	μ μ μ μ ,			
\8987.1	081				
.9200.1.1	082	AV1) , grundfos (KP 350			
.9200.1.2	083	μ μ - μ grundfos (UNILIFT P 50)			
\9083.1	084	0,75HP			
16.09	085	μ μ μ	08-06-08-03 *		08-06-08-03
16.11	086	.	08-06-08-03 *		08-06-08-03

	μ.		1501- +	(17/07-09-2016)	
μ					
16.12	087		08-06-08-03 *		08-06-08-03
16.13	088		08-06-08-03 *		08-06-08-03
18919.3	089	7 μ μ			
11.01.01	090	K μμ (gray iron)			
11.02.01	091		08-07-01-01		
11.01.02	092	K μμ (ductile iron)			
11.02.03	093		08-07-01-03		
12.10.03	094	μ PVC-U μ PVC-U, SDR 41, DN 160 mm	08-06-02-02 *	-PVC	08-06-02-02
12.10.04	095	μ PVC-U μ PVC-U, SDR 41, DN 200 mm	08-06-02-02 *	-PVC	08-06-02-02
16.30.01	096	μ μ (μ μ μ) μ			
16.40.01	097	μ μ μ μ DN 200-300 mm			
18151.90	098	μ / μμ (μ μ)			
8174	099		μ μ		
8175.1	100	() ,			
8177	101	μ			
8178.1.2	102	μ μ μ			
8179.2	103	μ μ μμ μ			
8256.6.1	104	μ 80 l 3000 W			
8538.1 1	105	μ μ (SPLIT-SYSTEM) , - μ , μ 9.000 BTU/H			
8538.1 2	106	μ μ (SPLIT-SYSTEM) , - μ , μ 12.000 BTU/H			
17319.1.1	001	μ μ 10,4x10,4cm, 6cm.			

	μ.		1501- +	(17/07-09-2016)	
μ					
72.31.02	002	1,00 mm μ μ μ , ,	03-05-02-01		
72.70	003	μ			
73.12	004	μ μ	03-07-03-00 *	μ	03-07-03-00
73.16.02	005	μ μ , 30 cm			
73.26.03	006	15x15 cm, μ , μ ,	03-07-02-00		
73.31.03	007	μ μ μ μ μ (μ) μ (μ) , 20x10 cm,	03-07-02-00		
73.33.01	008	20x20 cm μ μ , GROUP 4,	03-07-02-00		
73.33.02	009	30x30 cm μ μ , GROUP 4,	03-07-02-00		
73.34.01	010	20x20 cm μ μ GROUP 1,	03-07-02-00		
73.35	011	() μ			
73.37.02	012	μ - - μ μ μ μ μ μ 1,5 cm			
73.47	013	μ ()			
73.59.02	014	2,5 cm μ μ , μ μ			
73.75	015	() μ			
73.76	016	μ μ μ μ μ			
73.87	017	μ μ			
73.96	018	μ (PVC)	03-07-06-02		
.73.96.03	019	μ (PVC) μ	03-07-06-02		
73.97	020	μ	03-07-06-02		
\73.96	021	μ LINOLEUM			
74.23	022	μ μ			
74.30.01	023	μ , μ 2 cm, μ μ 5 μ μ ,	03-07-03-00 *	μ	03-07-03-00
74.30.02	024	μ , μ 2 cm, μ μ 6 10 μ μ ,	03-07-03-00 *	μ	03-07-03-00

	μ.		1501- +	(17/07-09-2016)	
μ					
78.91	043	μ μ μ			
79.05.1	044	μ μ μ μ μ	08-05-03-03 *	μ μ / μ μ μ μ μ	08-05-03-03
79.08	045	μ μ			
79.10	046	μ μ μ μ μ			
79.11.01	047	μ μ μ μ μ μ μ μ	03-06-01-01 *	μ - μ μ μ	03-06-01-01
79.11.02	048	μ μ μ μ μ (APP), μ μ μ	03-06-01-01 *	μ - μ μ μ	03-06-01-01
79.11.03	049	μ μ μ μ μ μ μ μ μ 0,08 mm	03-06-01-01 *	μ - μ μ μ	03-06-01-01
79.12.01	050	μ μ μ μ μ (EPDM)	03-06-01-02		
79.12.02	051	μ μ μ μ μ PVC - P μ	03-06-01-02		
79.15.03	052	μ μ μ μ μ 205 gr/m2			
79.18	053	μ HDPE μ ()			
79.40	054	μ μ μ μ μ 50 mm			
79.46	055	μ μ μ μ μ μ 50 mm	03-06-02-01 *	μ μ μ	03-06-02-01
79.47	056	μ μ μ μ μ μ 50 mm	03-06-02-02 *	μ μ	03-06-02-02
79.55	057	μ - μ μ μ μ μ 50 mm	03-06-02-02 *	μ μ	03-06-02-02
\ 78.70.1	058	μ μ μ μ μ 50cm			
.73.75.001	059	μ μ μ μ μ (EPDM)			
72.11	001	μ μ μ μ μ	03-05-01-00		
73.11	002	μ μ μ μ μ	03-07-03-00 *	μ	03-07-03-00
72.47.02	003	μ μ μ μ μ 100 mm			
\72.47.01	004	μ μ μ μ μ 50 mm			
76.01.02	005	μ μ μ μ μ 4,0 mm	03-08-07-01		
76.01.03	006	μ μ μ μ μ 5,0 mm	03-08-07-01		

*

	μ.		1501- +	(17/07-09-2016)	
μ					
76.20.02	007	1,00 m μ , 6,50 mm μ	03-08-07-01		
76.22.01	008	mm (3 mm + μ μ (LAMINATED), + 3 mm) 6	03-08-07-02		
76.27.01	009	μ μ - μ - 18 mm, (5 mm, 8 mm, 5 mm)	03-08-07-02		
76.27.02	010	μ μ - μ - 22 mm, (5 mm, 12 mm, 5 mm)	03-08-07-02		
76.35.01	011	Securit, μ 8,0 mm	03-08-09-00		
76.21	012	μ μμ			
76.22.03	013	mm (4 mm + μ μ (LAMINATED), + 4 mm + μ μ + 4 mm) 12	03-08-07-02		
76.25	014	SECURIT 10 mm	03-08-07-02		
76.27.03	015	μ μ - μ - 25 mm, (5 mm, 12 mm, laminated 4 mm + 4 mm)	03-08-07-02		
77.68	016	μ			
.65.01.1	017	() μ μ	03-08-03-00 *	μ μ	03-08-03-00
.65.01.2	018	μ μ μ	03-08-03-00 *	μ μ	03-08-03-00
.65.01.3	019	μ μ /	03-08-03-00 *	μ μ	03-08-03-00
.65.01.4	020	μ μ / μ μ	03-08-03-00 *	μ μ	03-08-03-00
.65.01.5	021	μ μ / μ 90 μ	03-08-03-00 *	μ μ	03-08-03-00
.65.01.7	022	μ ()	03-08-03-00 *	μ μ	03-08-03-00
.65.01.8	023	μ ()	03-08-03-00 *	μ μ	03-08-03-00
78.13	024	μ			
78.21	025	μ μ μ			
79.37	026	μ μ μ	08-05-02-05		
79.38	027	μ μ μ	08-05-02-05		

	μ.		1501- +	(17/07-09-2016)	
μ					
79.95 1	028	μ μ μ μ	08-05-03-03 *	μ μ / μ μ μ μ	08-05-03-03
.77.97	029	, μ μ ,	03-10-01-00		
.77.98	030		03-10-01-00		
.76.25.01	031	μ			
.76.25.02	032	μ - μμ			
52.61.01	001	μ , 6,00 m μ μ ()			
52.66.01	002	μ μ 6,00 m μ			
53.01.01	003	μ , 8,0 cm	03-07-01-01		
53.30.01	004	μ μ 4 - 7cm μ 4,0 - 7,0 cm	03-07-01-01		
53.50.03	005	5 8 cm, 12 mm,			
54.26	006		03-08-01-00		
54.34	007		03-08-01-00		
54.50	008	μ μ μ μ	03-08-01-00		
54.46.01	009	13 cm μ μ ,	03-08-01-00		
54.46.02	010	23 cm μ μ ,	03-08-01-00		
55.01.01	011	μ			
56.21	012	μ DUROPAL			
56.23	013	μ μ μ	03-09-01-00		
56.24	014	μ μ , μ μ	03-09-01-00		
61.04	015	μ 16 cm			
61.05	016	160 mm			
61.12	017	μ μ			
61.13	018	μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
61.30	019				
62.60.01	020	μ , μ , μ 30 min			
62.60.02	021	μ , μ , μ 60 min			
62.60.03	022	μ , μ , μ 90 min			
64.03	023	μ			
64.16.01	024	μ μ , 1"			
64.16.02	025	μ μ , 1 1/2 "			
64.16.03	026	μ μ , 2"			
65.01.03	027	μ μ μ μ μ μ 12 kg/m2	03-08-03-00 *	μ μ	03-08-03-00
65.01.04	028	μ μ μ μ μ μ 12 24 kg/m2	03-08-03-00 *	μ μ	03-08-03-00
65.02.01.01	029	μ μ μ μ μ μ μ μ μ , μ , μ ,	03-08-03-00 *	μ μ	03-08-03-00
65.32	030	μ			
\65.41.01	031	μ			
.57.06.001	032	μ			
.57.06.002	033				
.57.06.003	034				
.57.06.004	035				
.57.06.005	036	μ			
.57.06.006	037	μ			
.57.06.007	038	μ 4			
.57.06.008	039	4			
.57.06.009	040				
.57.06.010	041	μ			
.57.06.011	042	2			
μ					

	μ.		1501- +	(17/07-09-2016)	
μ					
78.70		μ μ	03-07-08-00		

-07-2018

-07-2018

-07-2018

H .

H

μ μ

μ μ

μ μ